





An AIRXCEL Brand



## **COMPANY**

# The Italian brand in the most beautiful travelling kitchens

CAN is the Italian manufacturer of hobs and sinks whose products can be found off the most exclusive coastlines, and in the heart of the wildest landscapes.

For over 30 years yacht and leisure vehicles manufacturers have chosen CAN to help realise their kitchen ideas, achieved through close collaboration between the respective designers, with a reliable supply chain and a high product quality standard that is never broken.

Many great brands from both the nautical and recreational vehicle markets have found CAN to be an exceptional partner. Authoritative references demonstrate how CAN has, and continues to be successful in bringing the excellence of Italian design to appliances within galleys and recreational vehicle kitchens, helping them to become the most sought after Italian company in the industry, most requested, most popular.

With the growth of CAN ever increasing, the objectives of CAN for the future remain, aiming to serve a market in constant evolution and expansion.

In 2017, CAN has done huge investments in new "moulds" and machinery giving birth to a new range of innovative products to keep its appliances always updated to the last customers' needs and tendencies.

CAN Designers and Researchers have worked in close contact to develop brand new built-in kitchens and innovative cooktops with amazing features.

AIRXCEL - CAN COOKING APPLIANCES AIRXCEL - CAN COOKING APPLIANCES 3

## Customised solutions Unique. Just as whoever cooks

Materials of all kinds are moulded through Italian design into a variety of shapes and designs. CAN interprets the specific needs of every market, sector, and customer.

This enables it to offer a range of versatile solutions that in turn can be customised upon request. Be it stainless steel or glass, elliptical, square, round or irregular shapes, combined or dedicated units.

Whether gas, induction, alcohol or ethanol burners, CAN will endeavour to meet every request with the most effective solution.

Customised. Unique.





| AIRXCEL - CAN COOKING APPLIANCES AIRXCEL - CAN COOKING APPLIANCES | **5** 



# For a professional kitchen Always. Everywhere

For over thirty years CAN have stood for quality within the kitchen for the marine market. Supplying Hobs and Sinks with professional performances, designed for those who, even whilst travelling, wish to cook just as they would at home.

Accurate adjustment of power and even cooking are guideline objectives for CAN, without ever compromising the practicality, compactness or safety of the appliance.

This method of design and manufacture that today meets even the recreational vehicle market, making CAN the reference brand for all professional kitchens away from home.

| AIRXCEL - CAN COOKING APPLIANCES AIRXCEL - CAN COOKING APPLIANCES | **7** 

GIMBALLIN	NG BUILT-IN C	OOKERS	AND OVENS			ELECTRICAL	. COOKING UN	ITS			
CU2000	12	CU1000	14	F02010	16	P13050	74	PT1358	76	PB1328	78
CN3000	13	F05010	15			PT1356	75	PB1327	77	PTS121	79
CRYSTAL						SINKS WITH	FAUCET				
PV1251	20	PV1351	24	PV1364	28	LR1375	82	LR1760	84	LR1770	86
PV1256	21	PV1352	25	PV1366	29	LR1405	83	LR1762	85	LA1400	90
PV1320	22	PV1357	26								
PV1350	23	PV1360	27			SINKS					
HOODINY						LA1401	90	LA1410	93	LA1403BA	95
5010.45		5010.40	8.6	501051	40	LA1402	91	LA1411	93		
FC1345	32	FC1343	36	FC1351	40	LA1403	91	LA1417	94		
FC1348	33	FC1344	37	FC1362	41	LA1404	92	LA1418	94		
FC1336	34	FC1347	38	FC1363	42	LA1405	92	LA1418BA	95		
FC1346	35	FC1350	39								
	MBINATION UI	NIT				OUTDOOR					
nandi con	MIDINATION O	INII				EN1000	0.0	EN1000			
FL1323	46	FL1502	50	FL1770	54	FN1330	98	FN1333	99		
FL1324	47	FL1510	51	FL1780	55	FN1332	98				
FL1500	48	FL1765	52								
FL1501	49	FL1766	53			URBAN HYB	RID				
		WITOUEN				HC0550	102	HC0770	104		
SLIDE OUT	- PORTABLE	KIICHEN				HC0635T	103				
SL1323	58										
SL1400	59					ACCESSORIE	-s				
						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
HOTTY						LP1600	108	RB1485	110	RB1492	112
110111						LP1601	108	RB1486	110	RB1493	112
PC1320	64	PC1322	66			LP1602	108	RB1487	110	RB1853	112
PC1321	65	PC1323	67			LP1610	109	RB1488	111	LP5600	113
						LP1800	109	RB1490	111		
FOLDY						LP1000	109	RB1491	111		
	70										
LC1701	70										

LC1710 71

# GIMBALLING BUILT-IN COOKERS AND OVENS

## **Gas cookers and ovens**

High quality built-in and gimbal cookers, with oven and grill, made entirely of stainless steel. Design, Quality and Performance.

CU2000 12 15 F05010

13 16 CU3000 F02010

CU1000 14



## **CU2000**

High Quality marine cooker, 2 burners with gimbal.

Gas cooker with 30 It oven capacity in stainless steel, equipped with a 2-burner toughened black glass cooker hob; incl. gimbal assembly kit.

Numebers of burner	2 + Oven		
Dimension	500x410x458 mm		
Power	A 1 kW / SR 1.7 kW / Forno 1.9 kW		
Energy Consumption	(A 73g/h) (SR 124g/h) (Forno 152 g/h)		
Supply gas	GPL 28-30 mbar		
Safety device	Thermocouple		
Weight	22 Kg		
Power On	Oven: Piezo electric Burners: Manual lighting		



## CU3000

High Quality marine cooker, 3 burners with gimbal.

Gas cooker with oven 30 lt capacity in stainless steel, equipped with a 3-burner stove in tempered black glass; incl. gimbal assembly kit.

Numebers of burner	3 + Oven
Dimension	500x410x458 mm
Power	A1kW / SR1.7kW / SR 1.7 kW Forno 1.9 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (Forno 152 g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Weight	23 Kg
Power On	Oven: Piezo electric Burners: Manual



PACKAGE DIMENSION 500X600X520 mm



PACKAGE WEIGHT 30 Kg



PACKAGES FOR PALLET 12 (114X114X175) 375 Kg



PACKAGE DIMENSION 500X600X520 mm



PACKAGE WEIGHT 31 Kg



**PACKAGES FOR PALLET** 12 (114X114X175) 375 Kg



DOWNLOAD MANUAL INSTRUCTIONS









#### CU1000

High Quality marine cooker, 2 burners with gimbal.

Gas cooker with 19 It oven capacity in stainless steel, equipped with a 2-burner stove incorporated. Incl. gimbal assembly kit.

Numebers of burner	2 + Oven + Grill
Dimension	450x315x485 mm
Power	A 1 kW / SR 1.7 kW / Forno 1.9 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (Forno 152 g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Weight	17,5 Kg
Power On	Oven & Burners: Manual lighting



## F05010

High Quality built-in gas Oven with grill, 30 liters

Stainless-steel built-in gas oven with grill, equipped by electric 12 V ignition and door with see through window.

Oven and grill burner managed by a thermostatic gas valve with flame failure safety device. 30 liters oven capacity with efficient 1,90 kW burner and a unique 1,80 kW grill burner!

Number of burners	Oven and Grill
Dimension	457x370x430mm
Power	Oven 1.9 kW / Grill 1.8 kW
Energy Consumption	(Oven 152 g/h) (Grill 125.5 g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Weight	22 Kg
Power On	Electric 12v



PACKAGE DIMENSION 570X440X490 mm

PACKAGE WEIGHT 20 Kg



PACKAGES FOR PALLET 16 (80X120X220) 330Kg

PRODUCT			FEATURES / SPECIFICATIONS / ACCESSORIES		
MODEL	IGNITION	VERSION	GRILL	ART. NUMBER	
CU1000	S		_	CU1000-S	
CU1000	S	G	•	CU1000-S-G	

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



**DISCOVER MORE AT AIRXCEL.EU** 







**PACKAGE WEIGHT** 23 Kg



PACKAGES FOR PALLET 12 (114X114X175) 273 Kg







## F02010

High Quality built-in gas Oven with grill, 20 liters.

Stainless-steel built-in gas oven with grill, equipped by electric 12 V ignition and door with see through window. Oven and grill burner managed by a thermostatic gas valve with flame failure safety device. 20 liters oven capacity with efficient 1,90 kW burner and a unique 1,80 kW grill burner!

Number of burners	Oven and Grill
Dimension	530x410x320 mm
Power	Oven 1.9 kW / Grill 1.8 kW
Energy Consumption	(Oven 152 g/h) (Grill 125.5 g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Weight	16,5 Kg
Power On	Electric 12v
Markings	CE



PACKAGE DIMENSION 600X500X400 mm



PACKAGE WEIGHT ☐ 18 Kg



PACKAGES FOR PALLET 20 (120X120X220) 370Kg










# CRYSTAL

## **Hobs meet glass**

Crystal was born through seeking new solutions: a line of hobs that utilizes glass as the principle material of the kitchen. Thus, the stainless steel components shine on special scratch-resistant surfaces, in sizes fully customisable, making Crystal the answer for those who wish to go beyond the ordinary, without restraint. What is the secret? Italian designed with maximum care taken over every detail.

PV1251	20	PV1352	25
PV1256	21	PV1357	26
PV1320	22	PV1360	27
PV1350	23	PV1364	28
PV1351	24	PV1366	29



18 | CRYSTAL | 19

#### Rectangular glass top N°2 burners A-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with A-SR burners.



Number of burners	2
Dimension	380x280 mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	6 Kg



## PV1256

#### Rectangular glass top N°2 burners A-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with A-SR burners.

Number of burners	2
Dimension	280x380 mm
Power	A1kW/SR1.7kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	6 Kg



PACKAGE DIMENSION 560X430X180 mm

PACKAGE WEIGHT 8 Kg



PACKAGES FOR PALLET 36 (90x120x180) 300 Kg

PACKAGE DIMENSION 560X430X180 mm



PACKAGE WEIGHT



PACKAGES FOR PALLET

PRODUCT			FEATURES / SPECIFICATIONS / ACCESSORIES			
MODEL	MODEL IGNITION VERSION		12V ELECTRONIC IGNITION	SINGLE PACKAGING	ART. NUMBER	
PV1251 E		•	_	PV1251-E		
PV1251 E GR		•	•	PV1251-E-GR		

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



8 Kg

36 (90x120x180) 300 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES				
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	SINGLE PACKAGING	ART. NUMBER
PV1256	E		•	_	PV1256-E
PV1256	E	GR	•	•	PV1256-E-GR

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



**DISCOVER MORE AT** AIRXCEL.EU





**DISCOVER MORE AT AIRXCEL.EU** 



AIRXCEL - CAN CRYSTALS AIRXCEL - CAN CRYSTAL | 21

#### Square glass top N°1 burner SR.

Built-in square stove in scratch-resistant tempered glass, 1-burner gas supply. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Number of burners	1
Dimension	290x325 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	5 Kg



## PV1350

#### Rectangular glass top N°1 burner SR.

Built-in rectangular stove in scratch-resistant tempered glass, 1-burner gas supply. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Number of burners	1
Dimension	200x365 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	5 Kg



PACKAGE DIMENSION 435X360X180 mm

PACKAGE WEIGHT \_\_\_\_\_ 7 Kg



PACKAGES FOR PALLET

40 (90x120x180) 290 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES				
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PV1320	S		•	_	PV1320-S
PV1320	S	GR	•	•	PV1320-S-GR

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



PACKAGE DIMENSION 435X360X180 mm



PACKAGE WEIGHT 



PACKAGES FOR PALLET 40 (90x120x180) 290 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES				
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PV1350	s		•	_	PV1350-S
PV1350	S	GR	•	•	PV1350-S-GR

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



**DISCOVER MORE AT** AIRXCEL.EU





**DISCOVER MORE AT AIRXCEL.EU** 



AIRXCEL - CAN CRYSTALS AIRXCEL - CAN CRYSTAL | 23

#### Rectangular glass top N°2 burners A-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with A-SR burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Number of burners	2
Dimension	380x280 mm
Power	A1kW/SR1.7kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	6 Kg



## PV1352

#### Rectangular glass top N°3 burners A-SR-R.

Built-inrectangular stove in scratch-resistant tempered glass, 3-burner gas supply with A-SR burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Number of burners	3
Dimension	420x370 mm
Power	A 1 kW / SR 1.7 kW / R 3,0 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (R 218g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	8 Kg



PV1351

PACKAGE DIMENSION
560X430X180 mm

PACKAGE WEIGHT

8 Kg



PACKAGES FOR PALLET
36 (90x120x180) 300 Kg

DUCT			FEATURES / SPECIFICATIONS / ACCESSORIES		
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PV1351	S		•	_	PV1351-S

f S manual lighting | f P piezomechanic ignition | f E 12V electronic ignition



DISCOVER MORE AT AIRXCEL.EU

PV1351-S-GR









PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES				
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PV1352	s		•	_	PV1352-S
PV1352	S	GR	•	•	PV1352-S-GR

f S manual lighting | f P piezomechanic ignition | f E 12V electronic ignition



DISCOVER MORE AT AIRXCEL.EU



AIRXCEL - CAN CRYSTALS AIRXCEL - CAN CRYSTAL | 25

#### Rectangular glass top N°2 burners SR-R.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with SR-R burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-

Number of burners	2
Dimension	300x500 mm
ower	SR 1,9 kW / R 3,0 kW
Energy Consumption	(SR 124g/h) (R 218g/h)
upply gas	GPL 28-30 mbar
afety device	Thermocouple
/laterial	Tempered glass 8 mm
Veight	7 Kg





PACKAGES FOR PALLET 40 (90x120x180) 370 Kg

PRODUCT			FEATURES / SPECIFICATIONS / ACCESSORIES				
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER		
PV1357	S		•	_	PV1357-S		
PV1357	S	GR	•	•	PV1357-S-GR		

PACKAGE WEIGHT

9 Kg

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION

PACKAGE DIMENSION

560X430X180 mm

26



**DISCOVER MORE AT** AIRXCEL.EU





## **PV1360**

#### Gas hob unit with round sink N°2 burners SR-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with SR-SR burners, complete with round stainless steel sink (LA1417). There is a special sleeve placed on the top of the unit that is used as a seat for the column type panholder. Option to mount a tap inside the sink or on the top of the cooker.

Number of burners	2
Dimension	600x420 mm
ower	SR 1,9 kW / SR 1,9 kW
Energy Consumption	(SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	8,5 Kg



PACKAGE DIMENSION 680X480X260 mm



PACKAGE WEIGHT 10 Kg



PACKAGES FOR PALLET 16 (90x120x180) 170 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER		
PV1360	s		•	_	PV1360-S		
PV1360	S	GR	•	•	PV1360-S-GR		

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



**DISCOVER MORE AT AIRXCEL.EU** 



AIRXCEL - CAN CRYSTAL | 27 AIRXCEL - CAN CRYSTALS

#### Gas hob unit with semispheric sink N°2 burners A-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with A-SR burners, complete with round stainless steel sink and tap mounted directly on the glass stove. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

lumber of burners	2
Dimension	788x314 mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
upply gas	GPL 28-30 mbar
afety device	Thermocouple
/laterial	Tempered glass 8 mm
Veight	8 Kg



#### PV1366

#### Gas hob unit with semispheric sink N°2 burners A-SR.

Built-in rectangular stove in scratch-resistant tempered glass, 2-burner gas supply with A-SR burners, complete with round stainless steel sink and tap mounted directly on the glass stove. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Number of burners	2
Dimension	788x314 mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Tempered glass 8 mm
Weight	8 Kg



PACKAGE DIMENSION

1050X500X285 mm



PACKAGE WEIGHT

10 Kg



PACKAGES FOR PALLET
16 (114x114x180) 170 Kg

PRODUC	CT		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	IGNITION	VERSION	MANUAL LIGHTING	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
PV1364	S			_	_	_	_	_	PV1364-S
PV1364	S	GR		_		_	_	•	PV1364-S-GR

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DISCOVER MORE AT AIRXCEL.EU







PACKAGE WEIGHT


10 Kg



PACKAGES FOR PALLET
16 (114x114x180) 170 Kg

PRODUC	Т		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	IGNITION	VERSION	MANUAL LIGHTING	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
PV1366	S			_	_	_	_	_	PV1366-S
PV1366	S	GR		_	•	_	_	•	PV1366-S-GR

 $\textbf{S} \ \ \text{Manual Lighting} \ \ | \ \ \textbf{P} \ \ \text{PIEZOMECHANIC IGNITION} \ \ | \ \ \textbf{E} \ \ \text{12V ELECTRONIC IGNITION}$ 



DISCOVER MORE AT AIRXCEL.EU




28 | AIRXCEL - CAN CRYSTALS AIRXCEL - CAN CRYSTAL | 29

# HOODINY

## Linearity and compactness in the kitchen

To meet the natural lines of a kitchen whilst keeping the overall dimensions to a minimum, CAN offers Hoodiny: hobs with a special tempered glass cover. The closing of the lid allows the stove to be hidden whilst creating new, useful table tops. No surprises: to protect the glass from impacts, the hinge enables a slow and soft closing.

FC1345	32	FC1347	38
FC1348	33	FC1350	39
FC1336	34	FC1351	40
FC1346	35	FC1362	41
FC1343	36	FC1363	42
FC1344	37		





#### Round gas hob-unit N°1 burner SR.

Rounded built-in stove, made from stainless steel, 1-burner gas supply equipped with self-locking lid, stainless steel support grid fixed with anti-vibration rubber pads. Tempered black glass lid with concealed

Numbers of burners	1
Dimension	Ø 340 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	2,1 Kg



#### FC1348

#### Elliptic gas hob-unit N°2 burners A-SR.

Oval built-in stove, made from stainless steel, 2-burner gas supply equipped with self-locking lid, stainless steel support grid fixed with anti-vibration rubber pads. Tempered black glass lid with concealed hinges.

Numbers of burners	2
Dimension	510x390 mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	3,8 Kg



PACKAGE DIMENSION 400X370X240 mm



**PACKAGE WEIGHT** 3 Kg



**PACKAGES FOR PALLET** 54 (120X120X170) 180 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER	
FC1345	E	w	•	_	_	FC1345-E-W	
FC1345	E	GR-W	•	•	•	FC1345-E-GR-W	

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS







**PACKAGE WEIGHT** 5 Kg



PACKAGES FOR PALLET 36 (100X100X190) 190 Kg

PRODUCT	DUCT FEATURES / SPECIFICATIONS / ACCESSORIES								
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER			
FC1348	E	w	•	_	_	FC1348-E-W			
FC1348	E	GR-W	•	•	•	FC1348-E-GR-W			

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS



32 AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 33



#### Rectangular gas hob-unit N°2 burners A-SR.

Rectangular built-in stove, made from stainless steel, 2-burner gas supply, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

Numbers of burners	2		
Dimension	530x340 mm		
Power	A 1 kW / SR 1.7 kW		
Energy Consumption	(A 73g/h) (SR 124g/h)		
Supply gas	GPL 28-30 mbar		
Safety device	Thermocouple		
Material	Aisi304 Stainless Steel		
Product Weight	4,8 Kg		



PACKAGE WEIGHT 6 Kg



PACKAGES FOR PALLET 36 (100X100X200) 226 Kg

PRODUCT	PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER	
FC1336	Р	w	•	_	_	_	FC1336-P-W	
FC1336	Р	GR-W	•	_	•	•	FC1336-P-GR-W	
FC1336	E	w	_	•	_	_	FC1336-E-W	
FC1336	E	GR-W	_	•	•	•	FC1336-E-GR-W	

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





#### FC1346

#### Built-in rectangular gas hob-unit N°2 burners A-SR.

Compact built-in rectangular cooktop with 2 burners and glass lid. Modular spaces: thanks to the glass cover it is possible to extend the kitcken worktop.

Numbers of burners	2
Dimension	460x335x90 mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	4,5 Kg



PACKAGE DIMENSION 600X400X230 mm



**PACKAGE WEIGHT** 6 Kg



PACKAGES FOR PALLET 36 (100X100X200) 226 Kg

PRODUCT	PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER	
FC1346	Р	w	•	_	_	_	FC1346-P-W	
FC1346	Р	GR-W	•	_	•	•	FC1346-P-GR-W	
FC1346	E	w	_	•	_	_	FC1346-E-W	
FC1346	E	GR-W	_	•	•	•	FC1346-E-GR-W	

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS



AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 35



#### Triangular gas hob-unit n°3 burners A-SR-SR.

Left-hand triangle built-in stove, made from stainless steel, 3-burner gas supply, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

Numbers of burners	3
Dimension	480x480 mm
Power	A 1 kW / SR 1.7 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Product Weight	5,5 Kg



36

PACKAGE DIMENSION 520X520X200 mm



**PACKAGE WEIGHT** 7 Kg



PACKAGES FOR PALLET 32 (114X114X190) 235 Kg

PRODUCT	T FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1343	E	w	•	_	_	FC1343-E-W
FC1343	E	GR-W	•	•	•	FC1343-E-GR-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





## FC1344

#### Triangular gas hob-unit n°3 burners A-SR-SR

Right-hand triangle built-in stove, made from stainless steel, 3-burner gas supply, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

Numbers of burners	3
Dimension	480x480 mm
Power	A 1 kW / SR 1.7 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	5,5 Kg



PACKAGE DIMENSION 520X520X200 mm




PACKAGE WEIGHT 7 Kg



PACKAGES FOR PALLET 32 (114X114X190) 235 Kg

PRODUCT	CT FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1344	E	w	•	_	_	FC1344-E-W
FC1344	E	GR-W	•	•	•	FC1344-E-GR-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS



AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 37



#### Built-in square gas hob-unit N°3 burners A-SR.

Stylish built-in squared cooktop with 3 burners and glass lid. Modular spaces: thanks to the glass cover it is possible to extend the kitcken worktop

Numbers of burners	3			
Dimension	450x450x90 mm			
Power	A 1 kW / SR 1.7 kW / SR 1.7 kW			
Energy Consumption	(A 73g/h) (SR 124g/h) (SR 124g/h)			
Supply gas	GPL 28-30 mbar			
Safety device	Thermocouple			
Material	Aisi304 Stainless Steel			
Weight	4,0 Kg			



## FC1350

#### Rectangular gas hob-unit N°3 burners A-SR-SR.

Built in rectangular cooktop, made of stainless steel, 3-burner gas supply, stainless steel support grille fixed with anti-vibration rubbers. Single cover in tempered black glass with concealed hinges.

Numbers of burners	3
Dimension	716x340mm
Power	A 1 kW / SR 1.7 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	5,8 Kg



PACKAGE DIMENSION
520X520X200 mm



PACKAGE WEIGHT

6 Kg



PACKAGES FOR PALLET 32 (114X114X190) 210 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1347	E	w	•	_	_	FC1347-E-W
FC1347	E	GR-W	•	•	•	FC1347-E-GR-W

 $\textbf{S} \ \ \text{MANUAL LIGHTING} \ \ | \ \ \textbf{P} \ \ \text{PIEZOMECHANIC IGNITION} \ \ | \ \ \textbf{E} \ \ 12V \ \text{ELECTRONIC IGNITION}$ 



DOWNLOAD MANUAL INSTRUCTIONS







PACKAGE WEIGHT
7 Kg



PACKAGES FOR PALLET 40 (120X120X220) 300 Kg

PRODUCT	CT FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1350	E	w	•	_	_	FC1350-E-W
FC1350	E	GR-W	•	•	•	FC1350-E-GR-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS



38 | AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 39



#### Rectangular gas hob-unit N°3 burners A-SR-SR.

Built in rectangular cooktop, made of stainless steel, 3-burner gas supply, stainless steel support grille fixed with anti-vibration rubbers. Single cover in tempered black glass with concealed hinges.

Numbers of burners	3
Dimension	716x340mm
Power	A 1 kW / SR 1.7 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	5,8 Kg





PACKAGE WEIGHT



PACKAGES FOR PALLET
40 (120X120X220) 300 Kg

PRODUCT	FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1351	E	w	•	_	_	FC1351-E-W
FC1351	E	GR-W	•	•	•	FC1351-E-GR-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DISCOVER MORE AT AIRXCEL.EU







#### FC1362

#### Gas hob-unit N°2 burners SR.

Built-in stove, made from stainless steel, 2-burner gas supply, stainless steel support grid fixed with antivibration grommets. Tempered black glass lid with concealed hinges.

Numbers of burners	2
Dimension	640x350 mm
Power	SR 1.7 kW / SR 1.7 kW
Energy Consumption	(SR 124g/h) (SR 124g/h)
upply gas	GPL 28-30 mbar
afety device	Thermocouple
/laterial	Aisi304 Stainless Steel
Weight	5 Kg



PACKAGE DIMENSION 800X400X200 mm




PACKAGE WEIGHT
7 Kg



PACKAGES FOR PALLET 40 (120X120X220) 290 Kg

PRODUCT			FEATURES / SPE	CIFICATIONS / AC	CESSORIES	
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1362	E	w	•	_	_	FC1362-E-W
FC1362	E	GR-W	•	•	•	FC1362-E-GR-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DISCOVER MORE AT AIRXCEL.EU



D | AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 41

NEW!



## FC1363

#### Gas hob-unit N°3 burners A-SR-SR.

Built-in stove, made from stainless steel, 3-burner gas supply, stainless steel support grid fixed with antivibration grommets. Tempered black glass lid with concealed hinges.

3
640x350 mm
A 1 kW / SR 1.7 kW / SR 1.7 kW
(A 73g/h) (SR 124g/h) (SR 124g/h)
GPL 28-30 mbar
Thermocouple
Aisi304 Stainless Steel
6 Kg



PACKAGE DIMENSION 800X400X200 mm



PACKAGE WEIGHT



PACKAGES FOR PALLET
40 (120X120X220) 330 Kg

PRODUCT			FEATURES / SPE	CIFICATIONS / AC	CESSORIES	
MODEL	IGNITION	VERSION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	SINGLE PACKAGING	ART. NUMBER
FC1363	E	w	•	_	_	FC1363-E-W
FC1363	E	GR-W	•	•	•	FC1363-E-GR-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION




DISCOVER MORE AT AIRXCEL.EU





42 | AIRXCEL - CAN HOODINY AIRXCEL - CAN HOODINY | 43



## RANDI COMBINATION UNIT

# Quality, compactness and functionality, combined with the most flexible design

Monobloc, compact, combined. In the world of travel maximum functionality needs to be achieved, and Randi, the proposed unit-kitchen line, is the range that offers this. Hobs and sink are as one single unit, hidden beneath 4 mm of tempered glass, also creating a practical table top. The design is, as always, customisable: available in the right-hand or left-hand version and with taps and fittings at choice. The pan supports are removable with rubber anti-vibration inserts.

FL1323	46	FL1510	51
FL1324	47	FL1765	52
FL1500	48	FL1766	53
FL1501	49	FL1770	54
FL1502	50	FL1780	55

RANDI COMBINATION UNIT RANDI COMBINATION UNIT 45



The smallest built-in rectangular gas hob-unit ever built- N°1 burners SR with rectangular sink righthanded.

Rectangular built-in stove, made from stainless steel, 1-burner gas supply, equipped with right-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

lumbers of burners	1
Dimension	530x340x150 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Dimension hole tap	ø 27 mm
Weight	4,5 Kg



**PACKAGE DIMENSION** 580X400X250 mm



PACKAGE WEIGHT 6 Kg



PACKAGES FOR PALLET 36 (100X100X190) 230 Kg

PRODU	CT		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
FL1323	Р	w	•	_	_	_	_	_	FL1323-P-W
FL1323	Р	GR-W	•		•	_	_	•	FL1323-P-GR-W
FL1323	Р	AF-W	•		•	•	_	•	FL1323-P-AF-W
FL1323	Р	AC-W	•		•	_	•	•	FL1323-P-AC-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





### FL1324

The smallest built-in rectangular gas hob-unit ever built - N°1 burners SR with rectangular sink lefthanded.

Rectangular built-in stove, made from stainless steel, 1-burner gas supply, equipped with left-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

1
530x340x150 mm
SR 1.7 kW
(SR 124g/h)
GPL 28-30 mbar
Thermocouple
27 mm
4,5 Kg



PACKAGE DIMENSION 580X400X250 mm



**PACKAGE WEIGHT** 6 Kg



**PACKAGES FOR PALLET** 36 (100X100X190) 230 Kg

PRODU	СТ		FEATURES	FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
FL1324	Р	w	•	_	_	_	_	_	FL1324-P-W
FL1324	Р	GR-W	•			_	_	•	FL1324-P-GR-W
FL1324	Р	AF-W	•	•	•	•	_	•	FL1324-P-AF-W
FL1324	Р	AC-W	•			_	•	•	FL1324-P-AC-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION







The most compact built-in rectangular gas hob-unit - N°2 burners A-SR Rectangular sink right-handed.

Rectangular built-in stove, made from stainless steel, 2-burner gas supply, equipped with right-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Single lid in black tempered glass with concealed

lumbers of burners	2
Dimension	716x340x150 mm
ower	A1kW/SR1.7kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Dimension hole tap	ø 27 mm
Weight	5 Kg



PACKAGE DIMENSION 800X400X200 mm



PACKAGE WEIGHT 7 Kg



PACKAGES FOR PALLET 40 (120X120X220) 300 Kg

PRODU	СТ		FEATURES	/ SPECIFICATION	ONS / AC	CESSOR	IES			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
FL1500	E	w	_	•	_	_	_	_	_	FL1500-E-W
FL1500	E	GR-W	_	•	•	•	_	_	•	FL1500-E-GR-W
FL1500	Р	w	•	_	_	_	_	_	_	FL1500-P-W
FL1500	P	GR-W	•	_	•	•	_	_	•	FL1500-P-GR-W
FL1500	Р	AF-W	•	_	•	•	•	_	•	FL1500-P-AF-W
FL1500	P	AC-W	•	_	•	•	_	•	•	FL1500-P-AC-W

S MANUAL LIGHTING | P PIEZOMECHANIC IGNITION | E 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





### FL1501

The most compact built-in rectangular gas hob-unit - N°2 burners A-SR Rectangular sink right-handed.

Made from stainless steel, 2-burner gas supply, equipped with right-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Double lid in tempered black glass, divided between cooking area and sink, with concealed hinges.

Numbers of burners	2						
Dimension	716x340x150 mm						
Power	A 1 kW / SR 1.7 kW						
Energy Consumption	(A 73g/h) (SR 124g/h)						
Supply gas	GPL 28-30 mbar						
Safety device	Thermocouple						
Dimension hole tap	ø 27 mm						
Weight	5 Kg						



PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 7 Kg



PACKAGES FOR PALLET 40 (120X120X220) 300 Kg

PRODU	СТ		FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
FL1501	E	w	_	•	_	_	_	_	_	FL1501-E-W
FL1501	Е	GR-W	_	•			_	_	•	FL1501-E-GR-W
FL1501	Р	w	•	_	_	_	_	_	_	FL1501-P-W
FL1501	Р	GR-W	•	_			_	_	•	FL1501-P-GR-W
FL1501	Р	AF-W	•	_				_	•	FL1501-P-AF-W
FL1501	Р	AC-W	•	_		•	_	•	•	FL1501-P-AC-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION







The most compact built-in rectangular gas hob-unit - N°2 burners A-SR Rectangular sink left-handed.

Made from stainless steel, 2-burner gas supply, equipped with left-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Double lid in tempered black glass, divided between cooking area and sink, with concealed hinges.

Numbers of burners	2						
Dimension	716x340x150 mm						
Power	A 1 kW / SR 1.7 kW						
Energy Consumption	(A 73g/h) (SR 124g/h)						
Supply gas	GPL 28-30 mbar						
Safety device	Thermocouple						
Dimension hole tap	ø 27 mm						
Weight	6 Kg						
Dimension hole tap	ø 27 mm						



## FL1510

The most compact built-in rectangular gas hob-unit - N°2 burners A-SR Rectangular sink left-handed.

Made from stainless steel, 2-burner gas supply, equipped with left-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Single lid in black tempered glass with concealed

Numbers of burners	2					
Dimension	716x340x150 mm					
Power	A1kW/SR1.7kW					
Energy Consumption	(A 73g/h) (SR 124g/h)					
Supply gas	GPL 28-30 mbar					
Safety device	Thermocouple					
Dimension hole tap	ø 27 mm					
Weight	7 Kg					



PACKAGE DIMENSION 800X400X200 mm




PACKAGE WEIGHT



PACKAGES FOR PALLET 40 (120X120X220) 300 Kg

PRODU	CT		FEATURES	FEATURES / SPECIFICATIONS / ACCESSORIES									
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER			
FL1502	E	w	_	•	_	_	_	_	_	FL1502-E-W			
FL1502	E	GR-W	_	•	•	•	_	_	•	FL1502-E-GR-W			
FL1502	Р	w	•	_	_	_	_	_	_	FL1502-P-W			
FL1502	Р	GR-W	•	_	•	•	_	_	•	FL1502-P-GR-W			
FL1502	Р	AF-W	•	_		•	•	_	•	FL1502-P-AF-W			
FL1502	Р	AC-W	•	_		•	_		•	FL1502-P-AC-W			

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



**DOWNLOAD** MANUAL INSTRUCTIONS





PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 7 Kg



**PACKAGES FOR PALLET** 40 (120X120X220) 300 Kg

PRODL	JCT		FEATURES /	SPECIFICATION	IS / ACCE	SSORIE	S			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
FL1510	Е	w	_		_	_	_	_	_	FL1510-E-W
FL1510	E	GR-W	_	•	•		_	_		FL1510-E-GR-W
FL1510	P	w	•	_	_	_	_	_	_	FL1510-P-W
FL1510	Р	GR-W	•	_	•	•	_	_	•	FL1510-P-GR-W
FL1510	Р	AF-W	•	_	•	•	•	_	•	FL1510-P-AF-W
FL1510	Р	AC-W	•	_	•	•	_		•	FL1510-P-AC-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION







Rectangular gas hob-unit N°2 burners A-SR with rectangular sink right-hand, tap and waste not included.

Made from stainless steel, 2-burner gas supply, equipped with right-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Double lid in tempered black glass, divided between cooking area and sink, with concealed hinges.

Numbers of burners	2					
Dimension	765x355x100+50 mm					
Power	A 1 kW / SR 1.7 kW					
Energy Consumption	(A 73g/h) (SR 124g/h)					
Supply gas	GPL 28-30 mbar					
Safety device	Thermocouple					
Dimension hole tap	ø 33 mm					
Weight	6 Kg					



52

PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 7 Kg



**PACKAGES FOR PALLET** 40 (120X120X220) 300 Kg

PRODL	JCT		FEATURES	/ SPECIFICATION	ONS / AC	CESSORIE	ES			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
FL1765	P	w		_	_	_	_	_	_	FL1765-P-W
FL1765	Р	GR-W	•	_		•	_	_	•	FL1765-P-GR-W
FL1765	E	w	_	•	_	_	_	_	_	FL1765-E-W
FL1765	E	GR-W	_	•		•	•	_	•	FL1765-E-GR-W
FL1765	Р	AF-W	•	_	•	•	•	_	•	FL1765-P-AF-W
FL1765	Р	AC-W	•	_		•	_	•	•	FL1765-P-AC-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



**DOWNLOAD** MANUAL INSTRUCTIONS







PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 7 Kg



**PACKAGES FOR PALLET** 40 (120X120X220) 300 Kg

2

765x355x100+50 mm A 1 kW / SR 1.7 kW

(A 73g/h) (SR 124g/h)

GPL 28-30 mbar

Thermocouple

ø 33 mm

6 Kg

PRODL	JCT		FEATURES	FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER	
FL1766	Р	w		_	_	_	_	_	_	FL1766-P-W	
FL1766	Р	GR-W		_			_	_		FL1766-P-GR-W	
FL1766	E	w	_	•	_	_	_	_	_	FL1766-E-W	
FL1766	E	GR-W	_				•	_	•	FL1766-E-GR-W	
FL1766	Р	AF-W	•	_			•	_	•	FL1766-P-AF-W	
FL1766	Р	AC-W		_			_	•	•	FL1766-P-AC-W	

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DOWNLOAD **MANUAL** INSTRUCTIONS



AIRXCEL - CAN RANDI COMBINATION UNIT



Rectangular gas hob-unit N°2 burners A-SR with rectangular sink right-hand, tap and waste not included.

Made from stainless steel, 2-burner gas supply, equipped with right-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

Numbers of burners	2						
Dimension	765x355x100+50 mm						
Power	A 1 kW / SR 1.7 kW						
Energy Consumption	(A 73g/h) (SR 124g/h)						
Supply gas	GPL 28-30 mbar						
Safety device	Thermocouple						
Dimension hole tap	ø 33 mm						
Weight	6 Kg						



PACKAGE DIMENSION 800X400X200 mm



PACKAGE WEIGHT



PACKAGES FOR PALLET 40 (120X120X220) 300 Kg

PRODL	JCT		FEATURES	/ SPECIFICATIO	NS / ACC	ESSORIE	S			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
FL1770	Р	w	•	_	_	_	_	_	_	FL1770-P-W
FL1770	P	GR-W	•	_		•	_	_	•	FL1770-P-GR-W
FL1770	E	w	_	•	_	_	_	_	_	FL1770-E-W
FL1770	E	GR-W	_	•		•	_	_	•	FL1770-E-GR-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





### FL1780

Rectangular gas hob-unit N°2 burners A-SR with rectangular sink left-hand, tap and waste not included.

Made from stainless steel, 2-burner gas supply, equipped with left-hand rectangular sink, stainless steel support grid fixed with anti-vibration grommets. Tempered black glass lid with concealed hinges.

nbers of burners         2           tension         765x355x100+50 m           ver         A 1 kW / SR 1.7 kW           trgy Consumption         (A 73g/h) (SR 124g,
ver A 1 kW / SR 1.7 kW
ergy Consumption (A 73g/h) (SR 124g,
oply gas GPL 28-30 mbar
ety device Thermocouple
nension hole tap ø 33 mm
i <b>ght</b> 6 Kg



PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 7 Kg




**PACKAGES FOR PALLET** 40 (120X120X220) 300 Kg

PRODU	JCT		FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	12V ELECTRONIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
FL1780	Р	w	•	_	_	_	_	_	_	FL1780-P-W
FL1780	Р	GR-W	•	_	•		_	_	•	FL1780-P-GR-W
FL1780	E	w	_	•	_	_	_	_	_	FL1780-E-W
FL1780	E	GR-W	_	•	•		_	_	•	FL1780-E-GR-W

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION







## SLIDE OUT PORTABLE KITCHEN

# Extractable, removable, manageable and convenient to transport

Quick couplings for water, gas and the supplied guides. Ideal for use in exterior environments. Possibility to create a hidden kitchenette.

Telescopic legs for outdoor BBQ style use.

SL1323 58 SL1400 59

SLIDE OUT - PORTABLE KITCHEN SLIDE OUT - PORTABLE KITCHEN | **57** 



### **SL1323**

Extractable sliding out portable outdoor kitchen: combination unit with one burners and sink.

Slide-out portable kitchen equipped by sliding base with extraction from the short side. A unique and versatile appliance for an exciting and immersive outdoor cooking experience

Numbers of burners	1
Dimension SL1323-LC	686x374x250mm
Dimension SL1323-LL	590x483x250mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30mbar
Safety device	Thermocouple
Height with Legs	min 724mm max 1000mm
Weight	16 Kg



PACKAGE DIMENSION 800X550X350 mm




PACKAGE WEIGHT 22 Kg



PACKAGES FOR PALLET 12 (114X114X170) 280Kg

PRODU	СТ		FEATURES / SP	ECIFICATION	NS / ACCESS	ORIES			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
SL1323	Р	LC		_	•	•	_	•	SL1323-P-LC
SL1323	Р	LL			•	•	_	•	SL1323-P-LL

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS





## **SL1400**

Extractable sliding out portable outdoor kitchen: combination unit with two burners and sink.

Slide-out portable kitchen equipped by sliding base with extraction from the short side. A unique and versatile appliance for an exciting and immersive outdoor cooking experience

Numbers of burners	2
Dimension SL1400-LC	839x347x250mm
Dimension SL1400-LL	765x483x250mm
Power	A 1 kW / SR 1.7 kW
Energy Consumption	(A 73g/h) (SR 124g/h)
Supply gas	GPL 28-30mbar
Safety device	Thermocouple
Height with Legs	min 724mm max 1000mm
Weight	28 Kg



PACKAGE DIMENSION 860X435X350 mm




PACKAGE WEIGHT 32 Kg




PACKAGES FOR PALLET 12 (114X114X170) 280Kg

PRODU	СТ		FEATURES / SF	ECIFICATION	NS / ACCESS	ORIES			
MODEL	IGNITION	VERSION	PIEZO MECHANIC IGNITION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
SL1400	P	LC	•	_	•	•	_	•	SL1400-P-LC
SL1400	P	LL	•	_	•	•	_	•	SL1400-P-LL


**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION


















## Simple. How to cook.

At times, the more complex requirements have a simple solution. The Hotty: the CAN pressed stainless steel hob line can be installed on any surface with extreme ease, and support almost every request: with 1, 2 or 3 burners the kitchen is always a comfortable space.

PC1320	64	PC1322	66
PC1321	65	PC1323	67



62 | HOTTY | 63

#### PC1320

#### Gas hob unit N°1 burner SR.

Built-in hob in mirror polished stainless steel with 1 burner. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.





#### PC1321

#### Gas hob unit N°2 burners SR-SR.

Built-in hob in mirror polished stainless steel with 2 burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

lumbers of burners	2
Dimension	350x320 mm
ower	SR 1.7 kW / SR 1.7 kW
Energy Consumption	(SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Veight	2,2 Kg



PACKAGE DIMENSION
330X400X130 mm



PACKAGE WEIGHT

3 Kg



PACKAGES FOR PALLET
60 (80X120X180) 190 Kg

PRODUCT			FEATURES / SPECIFICAT	TIONS / ACCESSORIES	
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PC1320	S		•	_	PC1320-S
PC1320	S	GR	•	•	PC1320-S-GR

 $\textbf{S} \ \ \text{Manual Lighting} \ \ | \ \ \textbf{P} \ \ \text{Piezomechanic ignition} \ \ | \ \ \textbf{E} \ \ 12 \text{V} \ \text{Electronic ignition}$ 



DISCOVER MORE AT AIRXCEL.EU







PACKAGE WEIGHT

3,5 Kg



PRODUCT			FEATURES / SPECIFICAT	TIONS / ACCESSORIES	
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER
PC1321	S		•	_	PC1321-S
PC1321	s	GR	•	•	PC1321-S-GR

 ${f S}$  manual lighting |  ${f P}$  piezomechanic ignition |  ${f E}$  12V electronic ignition



DISCOVER MORE AT AIRXCEL.EU



64 | AIRXCEL - CAN HOTTY | 65

#### PC1322

#### Gas hob unit N°2 burners SR-SR.

Built-in hob in mirror polished stainless steel with 2 burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Numbers of burners	2
Dimension	380x36 0mm
Power	SR 1.7 kW / SR 1.7 kW
Energy Consumption	(SR 124g/h) (SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	3,5 Kg



## PC1323

#### Gas hob unit N°3 burners A-SR-R.

Built-in hob in mirror polished stainless steel with 3 burners. There is a special sleeve placed on the top of the unit that is used as a seat for the column type pan-holder.

Numbers of burners	3
Dimension	470x360 mm
Power	A 1 kW / SR 1.7 kW / R 3.0 kW
Energy Consumption	(A 73g/h) (SR 124g/h) (R 218g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	4 Kg



PACKAGE DIMENSION
560X430X180 mm



PACKAGE WEIGHT 4,5 Kg



PACKAGES FOR PALLET
36 (900X120X120) 180 Kg

PRODUCT	PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER		
PC1322	S		•	_	PC1322-S		
PC1322	S	GR	•	•	PC1322-S-GR		

 $\textbf{S} \ \ \text{Manual Lighting} \ | \ \ \textbf{P} \ \ \text{Piezomechanic Ignition} \ \ | \ \ \textbf{E} \ \ 12V \ \text{Electronic Ignition}$ 



DISCOVER MORE AT AIRXCEL.EU







PACKAGE WEIGHT 5,5 Kg



PACKAGES FOR PALLET
36 (900X120X120) 210 Kg

PRODUCT	RODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	IGNITION	VERSION	MANUAL LIGHTING	SINGLE PACKAGING	ART. NUMBER			
PC1323	S		•	_	PC1323-S			
PC1323	S	GR	•	•	PC1323-S-GR			

 $\textbf{S} \ \ \text{MANUAL LIGHTING} \ \ | \ \ \textbf{P} \ \ \text{PIEZOMECHANIC IGNITION} \ \ | \ \ \textbf{E} \ \ 12V \ \text{ELECTRONIC IGNITION}$ 



DISCOVER MORE AT AIRXCEL.EU




66 | AIRXCEL - CAN HOTTY | 67

# **FOLDY**

71

## **Everything concealed**

The space of a sink can enclose much more. This is why CAN has created Foldy: the kitchen-unit with the concealed hob. The tempered glass burner support, once closed, disappears within the sink, hiding the hob and creating a practical table top.



31701 70 LC1710

68 | FOLDY FOLDY FOLDY | 69



## LC1701

#### Combined round N°1 turning burner SR.

Compact round 1-burner stainless steel hinged stove equipped with self-locking lid, complete with sink and folding cold water tap (Cod. RB1486). The top is equipped with a tempered glass lid.

Numbers of burners	1
Dimension	350x320 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	6 Kg



PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT 7,5 Kg



PACKAGES FOR PALLET 54 (120X120X170) 180 Kg

PRODU	PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES								
MODEL	IGNITION	VERSION	MANUAL LIGHTING	600025 RUBBER SEAL	WASTE LP1800	RB1486 COLD WATER	RB1853 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LC1701	s		•	_	•	•	_		LC1701-S
LC1701	S	RE	•	_	•	_	•	•	LC1701-S-RE

**S** MANUAL LIGHTING | **P** PIEZOMECHANIC IGNITION | **E** 12V ELECTRONIC IGNITION



DOWNLOAD MANUAL INSTRUCTIONS



# LC1710

#### Combined square N°1 turning burner SR.

Compact rectangular 1-burner stainless steel hinged stove equipped with self-locking lid, complete with sink and folding cold water tap (Cod. RB1486). The top is equipped with a tempered glass lid.

Numbers of burners	1
Dimension	350x320 mm
Power	SR 1.7 kW
Energy Consumption	(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Material	Aisi304 Stainless Steel
Weight	6 Kg



PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT 7,5 Kg



PACKAGES FOR PALLET 54 (120X120X170) 180 Kg

PRODU	JCT		FEATURES /	SPECIFICAT	IONS / ACCE	SSORIES			
MODEL	IGNITION	VERSION	MANUAL LIGHTING	600025 RUBBER SEAL	WASTE LP1800	RB1486 COLD WATER	RB1853 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LC1710	s			_		•	_		LC1710-S
LC1710	S	RE	•	_	•	_	•	•	LC1710-S-RE

f S manual lighting | f P piezomechanic ignition | f E 12V electronic ignition



DOWNLOAD MANUAL INSTRUCTIONS




70 | AIRXCEL - CAN FOLDY AIRXCEL - CAN FOLDY | 71

# **ELECTRICAL COOKING UNITS**

# The alternative to gas

Vitroceramic, induction, grill and electrical plates: if cooking by gas is not possible, CAN offer several alternatives. Electrical power supply has allowed the development of different style hobs, designed and produced with the same attention to detail.



P13050	74	PB1327	77
PT1356	75	PB1328	78
PT1358	76	PTS121	79

## PI3050

#### Induction hob-unit N°2 cooking zone.

Built-in ceramic stove with 2 induction cooking zones.

Numbers of cooking zones	2
Dimension	300x505x60 mm
Power	Zone 1 Ø 145 mm 1200W Zone 2 Ø 210 mm 1600W
Energy Consumption	Zone 1: 176.4 Wh/Kg Zone 2: 183,4 Wh/Kg Stove: 179.9 Wh/Kg
Supply	220-240 V Frequency: 50/60 Hz
Safety device	Key lock
Heating Technology	Induction
Weight	5 Kg
Material	Glass-ceramic





Flush mounting vitroceramic hob-unit N°2 cooking

Built-in ceramic stove with 2 radiating 220 V plates with "touch screen" control.

Numbers of cooking zones	2
Dimension	285x505x60 mm
Power	Zone 1 Ø 145 mm 1200W Zone 2 Ø 210 mm 1600W
Energy Consumption	Zone 1: 176.4 Wh/Kg Zone 2: 183,4 Wh/Kg Stove: 179.9 Wh/Kg
Supply	220-240 V Frequency: 50/60 Hz
Safety device	Key lock
Heating Technology	Radiating elements
Material	Glass-ceramic
Weight	5 Kg



PACKAGE DIMENSION 310X520X120 mm



PACKAGE WEIGHT



PACKAGES FOR PALLET 32 (80X120X140) 240 Kg



PACKAGE DIMENSION 310X520X120 mm



PACKAGE WEIGHT



PACKAGES FOR PALLET 32 (80X120X140) 240 Kg









DOWNLOAD MANUAL INSTRUCTIONS



#### PT1358

#### Flush mounting vitroceramic hob-unit N°4 cooking zone.

Built-in ceramic stove with 4 radiating 220 V plates with "touch screen" control.

Numbers of cooking zones	4
Dimension	580x505x50 mm
Power	Zone 1 Ø 145 mm 1200W Zone 2 Ø 210 mm 1600W Zone 3 Ø 145 mm 1200W Zone 4 Ø 210 mm 1600W
Energy Consumption	"Zone 1: 176.4 Wh/Kg Zone 2: 183.4 Wh/Kg Zone 3: 176.4 Wh/ Kg Zone 4: 183,4 Wh/Kg Stove: 179.9 Wh/Kg"
Supply	220-240 V Frequency: 50/60 Hz
Safety device	Key lock
Heating Technology	Radiating elements
Weight	8 Kg
Material	Glass-ceramic







PACKAGE WEIGHT 10 Kg



PACKAGES FOR PALLET 32 (80X120X140) 330 Kg



DOWNLOAD MANUAL INSTRUCTIONS





#### PB1327

#### Flush mounting electric barbecue with lava stone.

Built-in stainless steel stove with lava stones and electric grill at 2400 Watt - 220 V.

Numbers of burners	1
Dimension	300x500x55 mm
Power	2400 kW
Supply	220-240 V Frequency: 50/60 Hz
Power On	Radiating element / Resistance
Weight	7 Kg
Material	Steel with enameled grill



PACKAGE DIMENSION 310X520X120 mm



PACKAGE WEIGHT 9 Kg



PACKAGES FOR PALLET 32 (80X120X140) 300Kg



DOWNLOAD MANUAL INSTRUCTIONS





## PB1328

#### Flush mounting electric hob.

Built-in stove with stainless steel structure, barbeque in striped glass-ceramic at 2400 Watt - 220 V.

Numbers of burners	1
Dimension	305x510x60 mm
Power	2500 kW
Supply	220-240 V Frequency: 50/60 Hz
Power On	Radiating element / Resistance
Weight	5,5 Kg
Material	Striped glass-ceramic



## **PTS121**

High efficiency, low consumption, thin design. Portable induction cooktop

With its light and super thin design, Can's new induction hob offers extreme portability and energy efficiency, ensuring the best cooking experience.

Numbers of burners	1
Dimension	300X370X24 mm
Power	2100 W
Supply	220-240 V Frequency: 50/60 Hz
Power On	Induction
Weight	3 Kg
Material	Glass-ceramic



PACKAGE DIMENSION 310X520X120 mm



PACKAGE WEIGHT 7,5 Kg



PACKAGES FOR PALLET 32 (80X120X140) 300 Kg



NEW!

PACKAGE DIMENSION 370X500X95 mm



PACKAGE WEIGHT 4 Kg



PACKAGES FOR PALLET



**TRAVEL CASE INCLUDED** 




**DISCOVER MORE AT** AIRXCEL.EU











# SINKS WITH FAUCET

# And the sink disappears

The CAN stainless steel sinks are fully customisable due to the shapes and accessories offered. They're available in oval, round, or square shapes, and with different faucet variations. What do they have in common? Extreme attention to overall dimension and design: that can give a new table top with minimal space.

LR1375	82	LR1762	85
LR1405	83	LR1770	86
I B1760	84		

BO | SINKS WITH FAUCET SINKS WITH FAUCET | 81



# LR1375

#### Rectangular sink with tempered glass cover.

Compact rectangular sink in scotch-brite stainless steel, equipped with tempered glass lid.

375x300x125 mm
Scotch-brite
4 Kg
Aisi304 Stainless Steel



PACKAGE DIMENSION 400X370X240 mm





LR1405

Dimension

Finish

Weight

Material

Rectangular sink with tempered glass cover.

Compact rectangular sink in scotch-brite stainless steel, equipped with tempered glass lid.

355x290x140 mm

Scotch-brite

4 Kg

Aisi304 Stainless Steel

PACKAGES FOR PALLET 63 (120X120X190) 325 Kg




82

PACKAGE DIMENSION 400X370X240 mm

PACKAGE WEIGHT 5 Kg


PACKAGES FOR PALLET 63 (120X120X190) 325 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER	
LR1375		_	_	_	_	_	LR1375	
LR1375	GR	•	•	_	_	•	LR1375-GR	



**DISCOVER** MORE AT AIRXCEL.EU





**DISCOVER MORE AT** AIRXCEL.EU



AIRXCEL - CAN SINKS WITH FAUCET AIRXCEL - CAN SINKS WITH FAUCET | 83



## LR1760

#### Rectangular sink with tempered glass cover.

Compact rectangular sink in semi-gloss stainless steel, equipped with tempered glass lid and folding cold water tap (Cod. RB1486)."

Dimension	350x320x150 mm
Finish	Semi-gloss
Weight	4,5 Kg
Water Tap	Included (RB1486 cold water)
Material	Aisi304 Stainless Steel



## LR1762

#### Rectangular sink with tempered glass cover.

Compact rectangular sink in semi-gloss stainless steel, equipped with tempered glass lid and folding cold water tap (Cod. RB1486)."

Dimension	350x320x90 mm
Finish	Semi-gloss
Weight	3 Kg
Water Tap	Included (RB1486 cold water)
Material	Aisi304 Stainless Steel



PACKAGE DIMENSION
400X370X240 mm



PACKAGE WEIGHT 5,5 Kg



PACKAGES FOR PALLET
63 (120X120X190) 360 Kg

PRODUCT	VERSION	FEATURES / S 600025 RUBBER SEAL	WASTE LP1800	RB1486 COLD WATER	RB1853 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LR1760		_	•	•	_	_	LR1760
LR1760	GR	•	•	•	_	•	LR1760-GR



DISCOVER MORE AT AIRXCEL.EU











DISCOVER MORE AT AIRXCEL.EU



AIRXCEL - CAN SINKS WITH FAUCET AIRXCEL - CAN SINKS WITH FAUCET | 85



## LR1770

#### Round sink with tempered glass cover.

Compact round sink scotch-brite finish with tempered glass. Tap not included.

Ø 407x150 mm
Scotch-brite
4 Kg
Ø 33 - Tap not included
Aisi304 Stainless Steel



PACKAGE DIMENSION 520X520X200 mm



PACKAGE WEIGHT 5 Kg



PACKAGES FOR PALLET 36 (114X114X200) 190 Kg

PR	ODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES						
M	/IODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER	
LI	R1770		_	_	_	_	_	LR1770	
LI	R1770	GR	•	•	_	_	•	LR1770-GR	



DISCOVER **MORE AT** AIRXCEL.EU






AIRXCEL - CAN SINKS WITH FAUCET

# SINKS

# All the shapes of the water

For CAN, design is function and much more. The shape can become pure aesthetics and the opportunity to enhance the excellence of stainless steel, or of other materials. Sinks are an example, whether square, hemispheric, elliptical in stainless steel or glass. The architecture of every kitchen can thus always find a perfect recessed solution with customised shapes and dimensions.

LA1400	90	LA1410	93
LA1401	90	LA1411	93
LA1402	91	LA1417	94
LA1403	91	LA1418	94
LA1404	92	LA1418BA	95
LA1405	92	LA1403BA	95



88 | SINKS SINKS SINKS SINKS SINKS SINKS 89



## LA1400

Rectangular semipolish sink.

Semi-gloss stainless steel rectangular sink.

Dimension	355x260x150 mm			
Finish	Semi-gloss			
Weight	1 Kg			
Material	Aisi304 Stainless Steel			



PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT PACKAG 1,5 Kg



PACKAGES FOR PALLET 63 (120X120X190) 105 Kg

PRODUCT	PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1400		_	_	_	_	_	LA1400
LA1400	GR	•	•	_	_	•	LA1400-GR





PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT 1,5 Kg



Rectangular semipolish sink.

Semi-gloss stainless steel rectangular sink.

Dimension	355x260x150 mm			
Finish	Semi-gloss			
Weight	1,3 Kg			
Material	Stainless steel 304 L			



PACKAGES FOR PALLET 63 (120X120X190) 105 Kg

PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKGING	ART. NUMBER
LA1401		_	_	_	_	_	LA1401
LA1401	GR	_	•	_	_	•	LA1401-GR





PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT PACKA 2 Kg



Rectangular semipolish sink.

Semi-gloss stainless steel rectangular sink.

Dimension	350x320x150 mm
Finish	Semi-gloss
Weight	1,5 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 140 Kg

PRODUCT		FEATURES /	SPECIFICATIO	NS / ACCESSO	DRIES		
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1402		_	_	_	_	_	LA1402
LA1402	GR	•	•	_	_	•	LA1402-GR





400X380X250 mm



PACKAGE DIMENSION



PACKAGE WEIGHT 2,2 Kg



LA1403

Semi-gloss stainless steel square sink.

Dimension	360x360x150 mm
Finish	Semi-gloss
Weight	1,6 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 150 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1403		_	_	_	_	_	LA1403
LA1403	GR	•	•	_	_	•	LA1403-GR

90 | AIRXCEL - CAN SINKS AIRXCEL - CAN SINKS | 91



#### LA1404

Rectangular semipolish sink.

Semi-gloss stainless steel rectangular sink.

170x320x150 mm Semi-gloss
Semi-gloss
0,8 Kg
Stainless steel 304 L



PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT 1,5 Kg



PACKAGES FOR PALLET 63 (120X120X190) 105 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1404		_	_	_	_	_	LA1404
LA1404	GR	•	•	_	_	•	LA1404-GR





PACKAGE DIMENSION 400X380X250 mm



**PACKAGE WEIGHT** 



Rectangular semipolish sink.

Semi-gloss stainless steel rectangular sink.

Dimension	355x290x140 mm
Finish	Semi-gloss
Weight	1 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 140 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1405		_	_	_	_	_	LA1405
LA1405	GR	•	•	_	_	•	LA1405-GR





PACKAGE DIMENSION 400X380X250 mm



PACKAGE WEIGHT 1,5 Kg



LA1410

Dimension

Finish

Weight

Material

Semispheric mirror polish sink.

Mirror polished stainless steel semi-spherical sink.

PACKAGES FOR PALLET 63 (120X120X190) 105 Kg

Ø 290x120 mm

Mirror Polish

0,6 Kg

Stainless steel 304 L

PRODUCT		FEATURES /	SPECIFICATIO	NS / ACCESSO	DRIES		
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1410		_	_	_	_	_	LA1410
LA1410	GR	•	•	_	_	•	LA1410-GR









PACKAGE WEIGHT



Semispheric mirror polish sink.

Mirror polished stainless steel semi-spherical sink.

Dimension	360x360x150 mm
Finish	Semi-gloss
Weight	1,6 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 150 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES					
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1411		_	_	_	_	_	LA1411
LA1411	GR	•	•	_	_	•	LA1411-GR

92 AIRXCEL - CAN SINKS AIRXCEL - CAN SINKS | 93







Semispheric mirror polish sink.

Mirror polished stainless steel semi-spherical sink.

Dimension	170x320x150 mm
Finish	Semi-gloss
Weight	0,8 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 105 Kg

PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1417		_	_	_	_	_	LA1417
LA1417	GR	•	•	_	_	•	LA1417-GR

1,5 Kg







**PACKAGE WEIGHT 2,5** Kg



LA1418

Dimension

Finish

Weight

Material

Round mirror polish sink.

Mirror polished stainless steel round sink.

PACKAGES FOR PALLET 63 (120X120X190) 170 Kg

Ø 385x150 mm

Mirror Polish

1,8 Kg

Stainless steel 304 L

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER	
LA1418		_	_	_	_	_	LA1418	
LA1418	GR	•	•	_	_	•	LA1418-GR	



PACKAGE DIMENSION 400X380X250 mm

PACKAGE WEIGHT 2,5 Kg

**LA1418BA** 

Round scotch-brite finish sink.

Scotch-brite stainless steel round sink.

Dimension	Ø 385x120 mm
Finish	Scotch-brite
Weight	1,5 Kg
Material	Stainless steel 304 L



PACKAGES FOR PALLET 63 (120X120X190) 170 Kg

PRODUCT FEATURES / SPECIFICATIONS / ACCESSORIES							
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER
LA1418BA		_	_	_	_	_	LA1418BA
LA1418BA	GR	•	•	_	_	•	LA1418BA-GR







**PACKAGE WEIGHT** 2,5 Kg



Square scotch-brite finish sink.

Scotch-brite stainless steel square sink.

Dimension	360x360x150 mm
Finish	Scotch-brite
Weight	1,6 Kg
Material	Stainless steel 304 L




63 (120X120X190) 170 Kg

PRODUCT		FEATURES / SPECIFICATIONS / ACCESSORIES						
MODEL	VERSION	600025 RUBBER SEAL	WASTE LP1800	RB1487 COLD WATER	RB1488 HOT AND COLD WATER	SINGLE PACKAGING	ART. NUMBER	
LA1403BA		_	_	_	_	_	LA1403BA	
LA1403BA	GR	•	•	_	_	•	LA1403BA-GR	


AIRXCEL - CAN SINKS AIRXCEL - CAN SINKS | 95

# OUTDOOR




When a dedicated cooking area is not needed, but it is the freedom of action to guide the choice of the ideal stove, CAN offer the support solutions. The gas stoves of the Hotty line allow a free installation and make every surface a perfect hob, to cook hot meals in any situation.

FN1330 98 FN1333 99 FN1332 98



96 | OUTDOOR OUTDOOR | 97

#### NEW!





#### Gas stoves N°1 burner SR.

Gas stove in mirror polished stainless steel with fixing brackets interchangeable with the CAN gimbal system.



# **DISCOVER MORE AT**



PACKAGE DIMENSION

590X400X230 mm



**PACKAGE WEIGHT** 



**PACKAGES FOR PALLET** 60 (80X120X180) 190 Kg



#### FN1332


#### Gas stoves N°2 burners A-SR.

Gas stove in mirror polished stainless steel with interchangeable fixing brackets for the CAN gimbal system.



Numbers of burners	2
Dimension	440x290x90mm
Power	A1kW/SR1.7kW
Energy Consumption	(A73g/h)(SR 124g/h)
Supply gas	GPL 28-30 mbar
Safety device	Thermocouple
Weight	4 Kg
Power On	Manual Lighting
Material	Stainless steel 304 L

#### **DISCOVER MORE AT** AIRXCEL.EU





**PACKAGES FOR PALLET** 36 (80X120X180) 190 Kg



## FN1333

2 Burners gas stove, enamelled burners-cap, enamelled gate. Color: Graphite grey.

umbers of burners	2
Dimension	440x290x90mm
ower	A 1 kW / SR 1.7 kW
Energy Consumption	(A73g/h)(SR 124g/h)
supply gas	GPL 28-30 mbar
afety device	Thermocouple
Veight	4 Kg
Power On	Manual Lighting



PACKAGE DIMENSION 500X370X170 mm



**PACKAGE WEIGHT** 5,5 Kg



PACKAGES FOR PALLET 54 (80X120X220) 310 Kg





DISCOVER **MORE AT** AIRXCEL.EU



AIRXCEL - CAN OUTDOOR

# **URBAN HYBRID**

# New urban hybrid cooktop

Hybrid home appliances two/ three indipendentily zone: induction and gas.

HC0550 102 HC0770 104

HC0635T 103

100 | URBAN HYBRID URBAN HYBRID | 101



#### HC0550

Urban Hybrid 1+1 Gas Valve - appliances two indipendentily zone: induction and gas

Hob with Flame power regulation by electronic touch system. Power levels of cooking Fully electronic safe system by double solenoid valve and ionization of burner sensor.

Number of burners	2
Dimension	550x350x50
Power	1200-1500 W / SR 1.6 kW
Supply Gas	GPL 28-30 mbar
Supply Voltage	220-240 V AC - 50/60 hz
Safety Device	Thermocouple
Weight	10 Kg





#### HC0635T

Urban Hybrid Full touch - appliances two indipendentily zone: induction and gas

Hob with Flame power regulation by electronic touch system. Power levels of cooking Fully electronic safe system by double solenoid valve and ionization of burner sensor.

Number of burners	2
Dimension	635x350x50
Power	1200-1500 W / SR 1.6 kW
Supply Gas	GPL 28-30 mbar
Supply Voltage	220-240 V AC - 50/60 hz
Safety Device	Thermocouple
Weight	9 Kg



PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 12 Kg



PACKAGES FOR PALLET 30 (120X120X180) 370 Kg



PACKAGE DIMENSION 800X400X200 mm



**PACKAGE WEIGHT** 11 Kg




PACKAGES FOR PALLET 30 (120X120X180) 340 Kg













DISCOVER **MORE AT AIRXCEL.EU** 



102 | AIRXCEL - CAN URBAN HYBRID



#### HC0770

Urban Hybrid 2+1 Gas Valve - appliances two indipendentily zone: induction and gas

Hob with Flame power regulation by electronic touch system. Power levels of cooking Fully electronic safe system by double solenoid valve and ionization of burner sensor.

Number of burners	3
Dimension	770x350x50 mm
Power	1800 W / SR 1.6 kW
Supply Gas	GPL 28-30 mbar
Supply Voltage	220-240 V AC - 50/60 hz
Safety Device	Thermocouple
Weight	12 Kg





PACKAGE WEIGHT

14 Kg



PACKAGES FOR PALLET
30 (120X120X180) 430 Kg







# **URBAN HYBRID FULL TOUCH - HC0635T** Cooktop and cut out dimension 653 627 50 **URBAN HYBRID 1+1 GAS VALVE - HC0550** Cooktop and cut out dimension 550 542 324 50 **URBAN HYBRID 2+1 GAS VALVE - HC0770** Cooktop and cut out dimension 762

104 | AIRXCEL - CAN URBAN HYBRID AIRXCEL - CAN URBAN HYBRID | 105

# **ACCESSORIES**

# The difference is in the details

It is a pan-holder that stabilises every item on the hob with a retractable tap and a seal that reduces vibrations. These are the details that make the difference. They are much more than just options, the accessories for CAN are the recipients of a particular research, making quality a really complete promise.

LP1600	108	RB1487	110
LP1601	108	RB1488	111
LP1602	108	RB1490	111
LP1610	109	RB1491	111
LP1800	109	RB1492	112
LP1000	109	RB1493	112
RB1485	110	RB1853	112
RB1486	110	LP5600	113

1 | ACCESSORIES ACCESSORIES | 2



#### LP1600

Straight replacement drain with 11/4" plug.

Compatible with	All our products
Product size	Thread; 11/4
Material	Plastic - Stainless Steel



**QUANTITY FOR PACKAGE** 100 PCS



#### LP1610

Straight replacement drain with 11/2" plug.

Compatible with	All our products
Product size	Thread; 1 1/2
Material	Plastic - Stainless Steel



**QUANTITY FOR PACKAGE** 100 PCS



## LP1601

Straight drain pipe ø 25 mm with 1 1/4" thread.

Compatible with	LP1600
Product size	Ø 25 mm - Thread: 11/4"
Material	Plastic



QUANTITY FOR PACKAGE 10 PCS



## LP1800

Replacement drain with 1 1/4" plug,  $\emptyset$  20-25 mm outlet.

Compatible with	All our products
Product size	Ø 20-25 mm, Thread: 11 / 4"
Material	Plastic - Stainless Steel



**QUANTITY FOR PACKAGE** 100 PCS



## LP1602

90° ø 25 mm drain pipe with 1 1/4" thread.

Compatible with	All our products
Product size	Ø 25 mm - Thread: 11 / 4"
Material	Plastic



**QUANTITY FOR PACKAGE** 10 PCS



## LP1000

Universal 1 1/2" plug.

Compatible with	All our products
Product size	Plug: 11 / 2"
Material	Plastic



**QUANTITY FOR PACKAGE** 100 PCS



#### **RB1485**

Swivel mixer tap, double handle, in chrome- plated brass with ceramic valves.

Installation Hole	2 Holes Ø 18 mm
Product size	180x78x158 mm
Material	Chrome-plated brass
Type of water	Hot and cold water



QUANTITY FOR PACKAGE 10 PCS



## **RB1488**

Chrome-plated plastic cold and hot water mixer tap, running on a 12 v microswitch.

Installation Hole	Ø 33 mm
Product size	37x160x96 mm
Material	Chrome-plated plastic
Type of water	Hot and Cold water



**QUANTITY FOR PACKAGE** 25 PCS



## **RB1486**

Chrome-plated brass single gimbal tap with ceramic

Installation Hole	2 Holes Ø 18 mm
Product size	180x78x158 mm
Material	Chrome-plated brass
Type of water	Hot and cold water



QUANTITY FOR PACKAGE 10 PCS



#### **RB1490**

Chrome-plated plastic folding cold water tap, running on a 12 v microswitch.

Installation Hole	Ø 22 mm
Product size	191x150x97 mm
Material	Chrome-plated plastic
Type of water	Cold water



QUANTITY FOR PACKAGE 30 PCS



## **RB1487**

Chrome-plated plastic cold water tap, running on a 12 v microswitch.

Installation Hole	Ø 33 mm
Product size	37x160x96 mm
Material	Chrome-plated plastic
Type of water	Cold water



QUANTITY FOR PACKAGE 2 PCS



#### **RB1491**

Foldable chrome-plated plastic mixer tap, running on a 12 v microswitch.

Installation Hole	Ø 27 mm
Product size	191x150x97 mm
Material	Chrome-plated plastic
Type of water	Hot and Cold water



**QUANTITY FOR PACKAGE** 30 PCS



#### **RB1492**

Foldable chrome-plated plastic mixer tap, short barrel, running on a 12 v microswitch.

Installation Hole	Ø 22 mm
Product size	179x110x97 mm
Material	Chrome-plated plastic
Type of water	Cold water



**QUANTITY FOR PACKAGE** 40 PCS



## LP5600

#### Drain plug with siphon.

Durable Materials: High-quality plastic, chrome finish. Efficient Drainage System: Prevents clogs and odors. Easy Installation: No special tools required, compact

25 mm diameter
60 mm diameter
Plastic - Stainless Steel



**QUANTITY FOR PACKAGE** 50 PCS



#### **RB1493**

Foldable chrome-plated plastic mixer tap, short barrel, running on a 12 v microswitch.

110x97 mm
-plated plastic
nd Cold water



QUANTITY FOR PACKAGE 40 PCS



#### LP5300

Drain with plug 90° angle hole 39 diam.25mm.

Compatible Pipes	25mm diameter
Mounting Hole	39 mm diameter
Material	plastic - stainless steel



**QUANTITY FOR PACKAGE** 50 PCS



#### **RB1853**

Mixer tap with folding bridge pipe.

Installation Hole	Ø 33.5 mm
Product size	180x160x120 mm
Material	Chrome-plated brass
Type of water	Hot and Cold water



**QUANTITY FOR PACKAGE** 10 PCS



#### LP5410


Drain with plug 90° angle hole 39 diam.20mm.

20 mm diameter
39 mm diameter
plastic - stainless steel



**QUANTITY FOR PACKAGE** 50 PCS

7 | AIRXCEL - CAN ACCESSORIESS



#### **DISCOVER AIRXCEL EUROPEAN HEADQUARTERS**



# DISCOVER THE REST OF AIRXCEL WORLD

Airxcel Europe was established in 2019, with the acquisition of CAN Srl by Airxcel Inc. Like the US headquarters, the company's European division is specialised in the production of engineered components for RVs and environmental comfort systems.

Airxcel Europe is organized into several business units, each of which features top brands in their respective sectors: from air conditioning and heating to professional kitchen equipment.
































114 | AIRXCEL | AIRXCEL | 115



## AIRXCEL EUROPE CAN SRL

VIA APOLLONIO 11 36061 BASSANO DEL GRAPPA (VI) - ITALY

PHONE: 0424 1953311

MAIL: INFO@AIRXCEL.EU







